

**BTBD14A Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP55020****Specification**

---

**BTBD14A Polyclonal Antibody - Product Information**

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	<a href="#">Q96BF6</a>
Reactivity	Rat, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	62837

**BTBD14A Polyclonal Antibody - Additional Information****Gene ID** 138151**Other Names**

Nucleus accumbens-associated protein 2, NAC-2, BTB/POZ domain-containing protein 14A, Repressor with BTB domain and BEN domain, NACC2, BTBD14A, NAC2, RBB

**Dilution**

IHC-P ~ ~ N/A  
IHC-F ~ ~ N/A  
IF ~ ~ 1:50 ~ 200  
ICC ~ ~ N/A  
E ~ ~ N/A

**Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**BTBD14A Polyclonal Antibody - Protein Information****Name** NACC2**Synonyms** BTBD14A, NAC2, RBB**Function**

Functions as a transcriptional repressor through its association with the NuRD complex. Recruits the NuRD complex to the promoter of MDM2, leading to the repression of MDM2 transcription and subsequent stability of p53/TP53.

**Cellular Location**

Nucleus. Note=Predominantly associated with chromatin

**BTBD14A Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**BTBD14A Polyclonal Antibody - Images**