

GLIPR1L1 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP55150

Specification

GLIPR1L1 Polyclonal Antibody - Product Information

Application

Primary Accession

Host

Clonality

Calculated MW

WB, IHC-P, IHC-F, IF, ICC

O6UWM5

Rabbit

Polyclonal

27151

GLIPR1L1 Polyclonal Antibody - Additional Information

Gene ID 256710

Other Names

GLIPR1-like protein 1, GLIPR1L1

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

GLIPR1L1 Polyclonal Antibody - Protein Information

Name GLIPR1L1

Function

Required for optimal fertilization at the stage of sperm- oocyte fusion, plays a role in optimizing acrosome function, the translocation of IZUMO1 during the acrosome reaction and the fertilization process. Component of epididymosomes, one type of membranous microvesicules which mediate the transfer of lipids and proteins to spermatozoa plasma membrane during epididymal maturation. Also component of the CD9-positive microvesicules found in the cauda region.

Cellular Location

Cytoplasmic vesicle, secretory vesicle, acrosome {ECO:0000250|UniProtKB:Q9DAG6}. Cell membrane {ECO:0000250|UniProtKB:Q9DAG6}; Lipid-anchor, GPI-anchor; Extracellular side {ECO:0000250|UniProtKB:Q9DAG6}. Membrane raft {ECO:0000250|UniProtKB:Q32LB5}. Secreted {ECO:0000250|UniProtKB:Q9DAG6}. Note=Located in the connecting piece of elongated spermatids and sperm. Also located in the apical region of the sperm head after sperm capacitation (By similarity). Weakly attached to the cell membrane and later secreted into the extracellular space (By similarity). Located on sperm equatorial segment and neck (By similarity). Associated with epididymosomes from the caput and cauda epididymis (By similarity). {ECO:0000250|UniProtKB:Q32LB5, ECO:0000250|UniProtKB:Q9DAG6}



Tissue LocationHighly expressed in testis.

GLIPR1L1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

GLIPR1L1 Polyclonal Antibody - Images