

ZA20D3 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP55201**Specification**

ZA20D3 Polyclonal Antibody - Product Information

Application	WB, IHC-P, IHC-F, IF, ICC
Primary Accession	Q6FIF0
Reactivity	Rat, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22555

ZA20D3 Polyclonal Antibody - Additional Information**Gene ID** 54469**Other Names**

AN1-type zinc finger protein 6, Associated with PRK1 protein, Zinc finger A20 domain-containing protein 3, ZFAND6, AWP1, ZA20D3

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZA20D3 Polyclonal Antibody - Protein Information**Name** ZFAND6**Synonyms** AWP1, ZA20D3**Function**

Involved in regulation of TNF-alpha induced NF-kappa-B activation and apoptosis. Involved in modulation of 'Lys-48'-linked polyubiquitination status of TRAF2 and decreases association of TRAF2 with RIPK1. Required for PTS1 target sequence-dependent protein import into peroxisomes and PEX5 stability; may cooperate with PEX6. In vitro involved in PEX5 export from the cytosol to peroxisomes (By similarity).

Cellular Location

Cytoplasm.

Tissue Location

Widely expressed with high level in heart, skeletal muscle, liver, kidney and placenta.

ZA20D3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZA20D3 Polyclonal Antibody - Images