

CYP4V2 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP55441

Specification

CYP4V2 Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW Physical State Immunogen Epitope Specificity Isotype Purity affinity purified by Protein A	IHC-P, IHC-F, IF, ICC, E <u>O6ZWL3</u> Rat Rabbit Polyclonal 61 KDa Liquid KLH conjugated synthetic peptide derived from human CYP4V2 431-525/525 IgG
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02%
SUBCELLULAR LOCATION SIMILARITY DISEASE	Proclin300 and 50% Glycerol. Endoplasmic reticulum membrane. Belongs to the cytochrome P450 family. Bietti crystalline corneoretinal dystrophy (BCD) [MIM:210370]: An autosomal recessive ocular disease characterized by retinal degeneration and marginal corneal dystrophy. Typical features include multiple glistening intraretinal crystals scattered over the fundus, a characteristic degeneration of the retina, and sclerosis of the choroidal vessels, ultimately resulting in progressive night blindness and constriction of the visual field. Most patients have similar crystals at the corneoscleral limbus. Patients develop decreased vision, nyctalopia, and paracentral scotomata between the 2nd and 4th decade of life. Later, they develop peripheral visual field loss and marked visual impairment, usually progressing to legal blindness by the 5th or 6th decade of life. Note=The disease is caused by mutations affecting the gene represented in this entry
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

This gene encodes a member of the cytochrome P450 hemethiolate protein superfamily which are



involved in oxidizing various substrates in the metabolic pathway. It is implicated in the metabolism of fatty acid precursors into n-3 polyunsaturated fatty acids. Mutations in this gene result in Bietti crystalline corneoretinal dystrophy. [provided by RefSeq, Jul 2008]

CYP4V2 Polyclonal Antibody - Additional Information

Gene ID 285440

Other Names Cytochrome P450 4V2, Docosahexaenoic acid omega-hydroxylase CYP4V2, 1.14.14.79, Long-chain fatty acid omega-monooxygenase, 1.14.14.80, CYP4V2

Target/Specificity

Broadly expressed. Detected in heart, brain, placenta, lung, liver, skeletal muscle, kidney, pancreas, retina, retinal pigment epithelium (RPE) and lymphocytes.

Dilution

IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

CYP4V2 Polyclonal Antibody - Protein Information

Name CYP4V2

Function

A cytochrome P450 monooxygenase involved in fatty acid metabolism in the eye. Catalyzes the omega-hydroxylation of polyunsaturated fatty acids (PUFAs) docosahexaenoate (DHA) and its precursor eicosapentaenoate (EPA), and may contribute to the homeostasis of these retinal PUFAs (PubMed:22772592). Omega hydroxylates saturated fatty acids such as laurate, myristate and palmitate, the catalytic efficiency decreasing in the following order: myristate > laurate > palmitate (C14>C12>C16) (PubMed:19661213). Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and reducing the second into a water molecule, with two electrons provided by NADPH via cytochrome P450 reductase (CPR; NADPH- ferrihemoprotein reductase).

Cellular Location

Endoplasmic reticulum membrane; Single-pass membrane protein

Tissue Location

Broadly expressed. Detected in heart, brain, placenta, lung, liver, skeletal muscle, kidney, pancreas, retina, retinal pigment epithelium (RPE) and lymphocytes



CYP4V2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

CYP4V2 Polyclonal Antibody - Images