

FAM124A Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP55685**Specification**

FAM124A Polyclonal Antibody - Product Information

Application	IHC-P, WB
Primary Accession	Q86V42
Reactivity	Rat, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	60104

FAM124A Polyclonal Antibody - Additional Information**Gene ID** 220108**Other Names**

Protein FAM124A, FAM124A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce


Storage


Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

FAM124A Polyclonal Antibody - Protein Information**Name** FAM124A**FAM124A Polyclonal Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


FAM124A Polyclonal Antibody - Images




Paraformaldehyde-fixed, paraffin embedded (Mouse testis); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (THOC1) Polyclonal Antibody, Unconjugated (bs-14712R) at 1:500 overnight at 4°C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.



Sample: 293T Cell (Human) Lysate at 40 ug
Primary: Anti-FAM124A(bs-14712R)at 1/300 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 60kD
Observed band size: 63kD



Sample: Ovary (Mouse) Lysate at 40 ug
Primary: Anti-FAM124A(bs-14712R) at 1/300 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 60kD
Observed band size: 60kD



Sample: Testis (Mouse) Lysate at 40 ug
Primary: Anti-FAM124A(bs-14712R) at 1/300 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 60kD
Observed band size: 63kD