

### FLJ36180 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP56133

## **Specification**

### FLJ36180 Polyclonal Antibody - Product Information

Application WB, IHC-P, IHC-F, IF, ICC, E

Primary Accession <u>O8N9V2</u>

Reactivity
Host
Rat, Pig, Dog, Bovine
Rabbit

Clonality Polyclonal Calculated MW 53 KDa Physical State Liquid

Immunogen KLH conjugated synthetic peptide derived

from human FLJ36180

Epitope Specificity /351-450/468

**Purity** 

affinity purified by Protein A

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02%

Proclin300 and 50% Glycerol.

SIMILARITY Contains 1 B30.2/SPRY domain. Contains 1

RING-type zinc finger.

SUBUNIT Interacts with USP5 (By similarity).

This product as supplied is intended for research use only, not for use in human,

therapeutic or diagnostic applications.

# **Background Descriptions**

The RING-type zinc finger motif is present in a number of viral and eukaryotic proteins and is made of a conserved cysteine-rich domain that is able to bind two zinc atoms. Proteins that contain this conserved domain are generally involved in the ubiquitination pathway of protein degradation.TRIML1 (tripartite motif family-like 1), also known as RNF209 (RING finger protein 209), is a 468 amino acid protein that contains one SPRY domain and one RING-type zinc finger. Due to the presence of a RING-type zinc finger motif, TRIML1 may be involved in protein degradation events within the cell.

### FLJ36180 Polyclonal Antibody - Additional Information

#### Gene ID 339976

## **Other Names**

Probable E3 ubiquitin-protein ligase TRIML1, 2.3.2.27, RING finger protein 209, RING-type E3 ubiquitin transferase TRIML1, Tripartite motif family-like protein 1, TRIML1, RNF209

#### **Dilution**

<span class ="dilution WB">WB~~1:1000/>span class

="dilution\_IHC-P">IHC-P~~N/A</span><br \><span class

="dilution\_IHC-F">IHC-F~~N/A</span><br \><span class

="dilution\_IF">IF~~1:50~200</span><br \> < span class = "dilution\_ICC">ICC~~N/A</span> < br \> < span class = "dilution\_ICC">ICC~~N/A</span> < span class = "dilution\_ICC">ICC~~N/A</span > < span class = "dilution\_ICC">ICC~



\><span class ="dilution E">E~~N/A</span>

#### **Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

#### **Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

## FLJ36180 Polyclonal Antibody - Protein Information

Name TRIML1

Synonyms RNF209

### **Function**

Probable E3 ubiquitin-protein ligase which plays an important role in blastocyst development.

## FLJ36180 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FLJ36180 Polyclonal Antibody - Images