

GTF2H3 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP56226

Specification

GTF2H3 Polyclonal Antibody - Product Information

Application IHC-P, IHC-F, IF, ICC Primary Accession 013889

Reactivity Rat, Pig, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 34378

GTF2H3 Polyclonal Antibody - Additional Information

Gene ID 2967

Other Names

General transcription factor IIH subunit 3, Basic transcription factor 2 34 kDa subunit, BTF2 p34, General transcription factor IIH polypeptide 3, TFIIH basal transcription factor complex p34 subunit, GTF2H3

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

GTF2H3 Polyclonal Antibody - Protein Information

Name GTF2H3

Function

Component of the general transcription and DNA repair factor IIH (TFIIH) core complex, which is involved in general and transcription-coupled nucleotide excision repair (NER) of damaged DNA and, when complexed to CAK, in RNA transcription by RNA polymerase II. In NER, TFIIH acts by opening DNA around the lesion to allow the excision of the damaged oligonucleotide and its replacement by a new DNA fragment. In transcription, TFIIH has an essential role in transcription initiation. When the pre-initiation complex (PIC) has been established, TFIIH is required for promoter opening and promoter escape. Phosphorylation of the C-terminal tail (CTD) of the largest subunit of RNA polymerase II by the kinase module CAK controls the initiation of transcription.

Cellular Location

Nucleus





GTF2H3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

GTF2H3 Polyclonal Antibody - Images