

ZNF766 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP56286**Specification****ZNF766 Polyclonal Antibody - Product Information**

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q5HY98
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54 KDa
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human ZNF766
Epitope Specificity	51-150/468
Isotype	IgG
Purity	
affinity purified by Protein A	
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nuclear
SIMILARITY	Belongs to the krueppel C2H2-type zinc-finger protein family.Contains 10 C2H2-type zinc fingers.Contains 1 KRAB domain.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

ZNF766 belongs to the krueppel C2H2 type zinc finger protein family and may be involved in transcriptional regulation.

ZNF766 Polyclonal Antibody - Additional Information

Gene ID 90321

Other Names

Zinc finger protein 766, ZNF766

Dilution

WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZNF766 Polyclonal Antibody - Protein Information

Name ZNF766

Function

May be involved in transcriptional regulation.


Cellular Location

Nucleus.

ZNF766 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF766 Polyclonal Antibody - Images

Sample: DU145 Cell (Human) Lysate at 40 ug
Primary: Anti-ZNF766 (bs-16492R) at 1/300 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 54 kD
Observed band size: 54 kD

