

**HSDL1 Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP56313****Specification**

---

**HSDL1 Polyclonal Antibody - Product Information**

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	<a href="#">Q3SXM5</a>
Reactivity	Rat, Pig, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	37002

**HSDL1 Polyclonal Antibody - Additional Information****Gene ID** 83693**Other Names**

Inactive hydroxysteroid dehydrogenase-like protein 1, Short chain dehydrogenase/reductase family 12C member 3, HSDL1, SDR12C3

**Dilution**

IHC-P ~ ~ N/A  
IHC-F ~ ~ N/A  
IF ~ ~ 1:50 ~ 200  
ICC ~ ~ N/A  
E ~ ~ N/A

**Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

**Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**HSDL1 Polyclonal Antibody - Protein Information****Name** HSDL1**Synonyms** SDR12C3**Cellular Location**

Mitochondrion.

**Tissue Location**

Highly expressed in testis and ovary. Also detected in thyroid, spinal cord, adrenal gland, heart, placenta, skeletal muscle, small intestine, colon, spleen, prostate and pancreas

## **HSDL1 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## **HSDL1 Polyclonal Antibody - Images**