

TRIML2 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP56567**Specification**

TRIML2 Polyclonal Antibody - Product Information

Application	IHC-P
Primary Accession	Q8N7C3
Reactivity	Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	49893

TRIML2 Polyclonal Antibody - Additional Information**Gene ID** 205860**Other Names**

Probable E3 ubiquitin-protein ligase TRIML2, 2.3.2.27, RING-type E3 ubiquitin transferase TRIML2, SPRY domain-containing protein 6, Tripartite motif family-like protein 2, TRIML2, SPRYD6

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage


Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

TRIML2 Polyclonal Antibody - Protein Information**Name** TRIML2 ([HGNC:26378](#))**Synonyms** SPRYD6**TRIML2 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TRIML2 Polyclonal Antibody - Images



Paraformaldehyde-fixed, paraffin embedded (mouse testis tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (TRIML2) Polyclonal Antibody, Unconjugated (bs-17128R) at 1:400 overnight at 4°C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.