

Junctophilin 1 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP56608

Specification

Junctophilin 1 Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality IHC-P, IHC-F, IF, ICC, E
O9HDC5
Pig, Dog, Bovine
Rabbit
Polyclonal
71686

Junctophilin 1 Polyclonal Antibody - Additional Information

Gene ID 56704

Calculated MW

Other Names

Junctophilin-1, JP-1, Junctophilin type 1, JPH1, JP1

Dilution

IHC-P~~N/A<br \> <span class
="dilution_IHC-F">IHC-F~~N/A<br \> <span class
="dilution_IF">IF~~1:50~200<br \> ICC~~N/A<br \> E~~N/A

Storage

Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

Junctophilin 1 Polyclonal Antibody - Protein Information

Name JPH1

Synonyms JP1


Function

Junctophilins contribute to the formation of junctional membrane complexes (JMCs) which link the plasma membrane with the endoplasmic or sarcoplasmic reticulum in excitable cells. Provides a structural foundation for functional cross-talk between the cell surface and intracellular calcium release channels. JPH1 contributes to the construction of the skeletal muscle triad by linking the t-tubule (transverse-tubule) and SR (sarcoplasmic reticulum) membranes.

Cellular Location

Cell membrane; Peripheral membrane protein. Endoplasmic reticulum membrane; Single-pass type IV membrane protein. Sarcoplasmic reticulum membrane; Single-pass type IV membrane protein. Note=Localized predominantly on the plasma membrane. The transmembrane domain is anchored in endoplasmic/sarcoplasmic reticulum membrane, while the N-terminal part associates







with the plasma membrane. In skeletal muscle cells, it is predominantly localized at the junction of the A and I bands (By similarity).

Tissue Location

Abundantly expressed in skeletal muscle. Very low levels in heart.

Junctophilin 1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Junctophilin 1 Polyclonal Antibody - Images