

ZCCHC10 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP57136

Specification

ZCCHC10 Polyclonal Antibody - Product Information

Application IHC-P, IHC-F, IF, ICC, E

Primary Accession <u>Q8TBK6</u>

Reactivity Rat, Pig, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 21 KDa
Physical State Liquid

Immunogen KLH conjugated synthetic peptide derived

laG

from human ZCCHC10

Epitope Specificity 21-120/192

Isotype Purity

affinity purified by Protein A

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02%

Proclin300 and 50% Glycerol.

SIMILARITY Contains 1 CCHC-type zinc finger.

Important Note

This product as supplied is intended for research use only, not for use in human,

therapeutic or diagnostic applications.

ZCCHC10 Polyclonal Antibody - Additional Information

Gene ID 54819

Other Names

Zinc finger CCHC domain-containing protein 10, ZCCHC10

Dilution

IHC-P~~N/A<br \> <span class
= "dilution IHC-F">IHC-F~~N/A<br \> <span class</pre>

="dilution_IF">IF \sim 1:50 \sim 200<br \>ICC \sim N/A<br \>E \sim N/A

12 13pair class — allation_E 2 E 14/7 1/3pa

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZCCHC10 Polyclonal Antibody - Protein Information

Name ZCCHC10




ZCCHC10 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

ZCCHC10 Polyclonal Antibody - Images



Paraformaldehyde-fixed, paraffin embedded (mouse brain tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZCCHC10) Polyclonal Antibody, Unconjugated (bs-18533R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.