

**MEX3A Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP57264****Specification**

---

**MEX3A Polyclonal Antibody - Product Information**

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	<a href="#">A1L020</a>
Reactivity	Rat, Pig, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54173

**MEX3A Polyclonal Antibody - Additional Information****Gene ID** 92312**Other Names**

RNA-binding protein MEX3A, RING finger and KH domain-containing protein 4, MEX3A, RKHD4

**Dilution**

IHC-P ~ ~ N/A  
IHC-F ~ ~ N/A  
IF ~ ~ 1:50 ~ 200  
ICC ~ ~ N/A  
E ~ ~ N/A

**Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

**Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**MEX3A Polyclonal Antibody - Protein Information****Name** MEX3A**Synonyms** RKHD4**Function**

RNA binding protein, may be involved in post-transcriptional regulatory mechanisms.

**Cellular Location**

Cytoplasm. Nucleus. Cytoplasm, P-body. Note=Predominantly expressed in the cytoplasm and shuttles between the cytoplasm and the nucleus through the CRM1 export pathway

**Tissue Location**

Highest levels found in fetal brain and testis. Detected also in thymus, salivary gland and uterus

## **MEX3A Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## **MEX3A Polyclonal Antibody - Images**