

MID1IP1/MIG12 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP57319**Specification**

MID1IP1/MIG12 Polyclonal Antibody - Product Information

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q9NPA3
Reactivity	Rat, Pig, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	20202

MID1IP1/MIG12 Polyclonal Antibody - Additional Information**Gene ID** 58526**Other Names**

Mid1-interacting protein 1, Gastrulation-specific G12-like protein, Mid1-interacting G12-like protein, Protein STRAIT11499, Spot 14-related protein, S14R, Spot 14-R, MID1IP1, MIG12

Dilution

IHC-P ~ ~ N/A
IHC-F ~ ~ N/A
IF ~ ~ 1:50 ~ 200
ICC ~ ~ N/A
E ~ ~ N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

MID1IP1/MIG12 Polyclonal Antibody - Protein Information**Name** MID1IP1**Synonyms** MIG12**Function**

Plays a role in the regulation of lipogenesis in liver. Up- regulates ACACA enzyme activity. Required for efficient lipid biosynthesis, including triacylglycerol, diacylglycerol and phospholipid. Involved in stabilization of microtubules (By similarity).

Cellular Location

Nucleus {ECO:0000250|UniProtKB:Q9CQ20}. Cytoplasm {ECO:0000250|UniProtKB:Q9CQ20}. Cytoplasm, cytoskeleton {ECO:0000250|UniProtKB:Q9CQ20}. Note=Associated with microtubules

{ECO:0000250|UniProtKB:Q9CQ20}

MID1IP1/MIG12 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MID1IP1/MIG12 Polyclonal Antibody - Images