

#### **GAL Antibody (C-term)**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5746b

### **Specification**

### **GAL Antibody (C-term) - Product Information**

**Application** FC, WB, IF, E **Primary Accession** P22466 Other Accession NP 057057 Human, Mouse Reactivity Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 13302 Antigen Region 73-101

### GAL Antibody (C-term) - Additional Information

#### Gene ID 51083

#### **Other Names**

Galanin peptides, Galanin, Galanin message-associated peptide, GMAP, GAL, GAL1, GALN, GLNN

#### Target/Specificity

This GAL antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 73-101 amino acids from the C-terminal region of human GAL.

## **Dilution**

FC~~1:10~50 WB~~1:1000 IF~~1:10~50

E~~Use at an assay dependent concentration.

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

GAL Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### **GAL Antibody (C-term) - Protein Information**

### Name GAL





### Synonyms GAL1, GALN, GLNN

**Function** Endocrine hormone of the central and peripheral nervous systems that binds and activates the G protein-coupled receptors GALR1, GALR2, and GALR3. This small neuropeptide may regulate diverse physiologic functions including contraction of smooth muscle of the gastrointestinal and genitourinary tract, growth hormone and insulin release and adrenal secretion.


**Cellular Location**Secreted

## **GAL Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## **GAL Antibody (C-term) - Images**




Confocal immunofluorescent analysis of GAL Antibody (C-term)(Cat#AP5746b) with 293 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red).DAPI was used to stain the cell nuclear (blue).





GAL Antibody (C-term) (Cat. #AP5746b) western blot analysis in mouse liver tissue lysates (15ug/lane). This demonstrates the GAL antibody detected GAL protein (arrow).



GAL Antibody (C-term) (Cat. #AP5746b) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

## GAL Antibody (C-term) - Background

Galanin is small neuropeptide that functions as a cellular messenger within the central and peripheral nervous systems, modulating diverse physiologic functions (Mechenthaler, 2008 [PubMed 18500643]).

# **GAL Antibody (C-term) - References**

Unschuld, P.G., et al. Neuropsychopharmacology (2010) Gratacos, M., et al. Am. J. Med. Genet. B Neuropsychiatr. Genet. 150B (6), 808-816 (2009) Sugimoto, T., et al. Genes Chromosomes Cancer 48(2):132-142(2009) Burleigh, D.E., et al. Neuropeptides 16(2):77-82(1990)