

RABGGTA Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP57862

Specification

RABGGTA Polyclonal Antibody - Product Information

Application IHC-P, IHC-F, IF, ICC

Primary Accession
Reactivity
Rat, Pig
Host
Clonality
Calculated MW
Physical State

Q92696
Rat, Pig
Rabbit
Polyclonal
65 KDa
Liquid

Immunogen KLH conjugated synthetic peptide derived

from human RABGGTA

Epitope Specificity 131-330/567

Isotype IgG
Purity

affinity purified by Protein A

Buffer Preservative: 0.02% Proclin300,

SIMILARITY Constituents: 1% BSA, 0.01M PBS, pH7.4.

Belongs to the protein prenyltransferase subunit alpha family. Contains 5 LRR

subunit alpha family. Contains 5 LRR (leucine-rich) repeats. Contains 6 PFTA

repeats.

Important Note

This product as supplied is intended for research use only, not for use in human,

therapeutic or diagnostic applications.

Background Descriptions

RABGGTA (Rab Geranylgeranyltransferase Subunit Alpha) is a Protein Coding gene. Diseases associated with RABGGTA include Choroideremia. Among its related pathways are Gene Expression and Signaling events mediated by PRL. Gene Ontology (GO) annotations related to this gene include Rab GTPase binding and protein prenyltransferase activity.

RABGGTA Polyclonal Antibody - Additional Information

Gene ID 5875

Other Names

Geranylgeranyl transferase type-2 subunit alpha, 2.5.1.60, Geranylgeranyl transferase type II subunit alpha, Rab geranyl-geranyltransferase subunit alpha, Rab GG transferase alpha, Rab GGTase alpha, Rab geranylgeranyltransferase subunit alpha, RABGGTA

Dilution

IHC-P~~N/A<br \><span class</pre>

="dilution_IHC-F">IHC-F~~N/A<br \><span class

="dilution_IF">IF \sim 1:50 \sim 200<br\>ICC \sim N/A





Storage

Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

RABGGTA Polyclonal Antibody - Protein Information

Name RABGGTA

Function


Catalyzes the transfer of a geranylgeranyl moiety from geranylgeranyl diphosphate to both cysteines of Rab proteins with the C-terminal sequence -XXCC, -XCXC and -CCXX, such as RAB1A, RAB3A, RAB5A and RAB7A.

RABGGTA Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

RABGGTA Polyclonal Antibody - Images



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (RABGGTA) Polyclonal Antibody, Unconjugated (bs-21088R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.