

SLC22A18AS Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP57927**Specification**

SLC22A18AS Polyclonal Antibody - Product Information

Application	IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q8N1D0
Host	Rabbit
Clonality	Polyclonal
Calculated MW	27061

SLC22A18AS Polyclonal Antibody - Additional Information**Other Names**

Beckwith-Wiedemann syndrome chromosomal region 1 candidate gene B protein, Organic cation transporter-like protein 2 antisense protein, Solute carrier family 22 member 1-like antisense protein, Solute carrier family 22 member 18 antisense protein, p27-Beckwith-Wiedemann region 1 B, p27-BWR1B, SLC22A18AS, BWR1B, BWSCR1B, ORCTL2S, SLC22A1LS

Dilution

IHC-P~N/A
IHC-F~N/A
IF~1:50~200
ICC~N/A
E~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

SLC22A18AS Polyclonal Antibody - Protein Information

Name SLC67A1-AS ([HGNC:10965](#))

Tissue Location

Most abundantly expressed in gastrointestinal tissues. Expressed at lower levels in kidney and placenta. Expressed in fetal brain, liver, placenta, kidney and lung

SLC22A18AS Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SLC22A18AS Polyclonal Antibody - Images