

ANKRD57 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP5802b

Specification

ANKRD57 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q53LP3
Other Accession	NP_075392.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	55672
Antigen Region	479-507

ANKRD57 Antibody (C-term) - Additional Information

Gene ID 65124

Other Names

Ankyrin repeat domain-containing protein SOWAHC, Ankyrin repeat domain-containing protein 57, Protein sosondowah homolog C, SOWAHC, ANKRD57, C2orf26

Target/Specificity

This ANKRD57 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 479-507 amino acids from the C-terminal region of human ANKRD57.

Dilution

WB~~1:1000

IHC-P~~1:50~100

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ANKRD57 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ANKRD57 Antibody (C-term) - Protein Information

Name SOWAHC


Synonyms ANKRD57, C2orf26

ANKRD57 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ANKRD57 Antibody (C-term) - Images



ANKRD57 Antibody (C-term) (Cat. #AP5802b) western blot analysis in MDA-MB231, HepG2, A549 cell line lysates (35ug/lane). This demonstrates the ANKRD57 antibody detected the ANKRD57 protein (arrow).



ANKRD57 Antibody (C-term) (Cat. #AP5802b) immunohistochemistry analysis in formalin fixed and paraffin embedded human cervix carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ANKRD57 Antibody

(C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

ANKRD57 Antibody (C-term) - References

Beausoleil, S.A., et al. Nat. Biotechnol. 24(10):1285-1292(2006)

Hillier, L.W., et al. Nature 434(7034):724-731(2005)