

# **PRL3 Polyclonal Antibody**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58080

## **Specification**

## **PRL3 Polyclonal Antibody - Product Information**

Application WB, IHC-P, IHC-F, IF
Primary Accession
Reactivity Rat, Bovine
Host Rabbit
Clonality Polyclonal
Calculated MW 19535

## PRL3 Polyclonal Antibody - Additional Information

### **Gene ID** 11156

#### **Other Names**

Protein tyrosine phosphatase type IVA 3, 3.1.3.48, PRL-R, Protein-tyrosine phosphatase 4a3, Protein-tyrosine phosphatase of regenerating liver 3, PRL-3, PTP4A3, PRL3

#### **Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

#### **Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

### **PRL3 Polyclonal Antibody - Protein Information**

## Name PTP4A3

### Synonyms PRL3

#### **Function**

Protein tyrosine phosphatase which stimulates progression from G1 into S phase during mitosis. Enhances cell proliferation, cell motility and invasive activity, and promotes cancer metastasis. May be involved in the progression of cardiac hypertrophy by inhibiting intracellular calcium mobilization in response to angiotensin II.

#### **Cellular Location**

Cell membrane. Early endosome

#### **Tissue Location**

Mainly expressed in cardiomyocytes and skeletal muscle; also found in pancreas. Consistently overexpressed in colon cancer metastasis.



Tel: 858.875.1900 Fax: 858.875.1999



# **PRL3 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# PRL3 Polyclonal Antibody - Images