

ZNF583 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP58159

Specification

ZNF583 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q96ND8
Host	Rabbit
Clonality	Polyclonal
Calculated MW	66033

ZNF583 Polyclonal Antibody - Additional Information

Gene ID 147949

Other Names

Zinc finger protein 583, Zinc finger protein L3-5, ZNF583

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZNF583 Polyclonal Antibody - Protein Information

Name ZNF583

Function

May be involved in transcriptional regulation.

Cellular Location

Nucleus.


ZNF583 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF583 Polyclonal Antibody - Images



Sample:


Cerebrum (Mouse) Lysate at 40 ug

Primary: Anti-ZNF583 (bs-4337R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 66 kD

Observed band size: 66 kD



Paraformaldehyde-fixed, paraffin embedded (Human colon carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZNF583) Polyclonal Antibody, Unconjugated (bs-4337R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.