

ZNF692 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP58168**Specification**

ZNF692 Polyclonal Antibody - Product Information

Application	IHC-P
Primary Accession	O9BU19
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56968

ZNF692 Polyclonal Antibody - Additional Information**Gene ID** 55657**Other Names**

Zinc finger protein 692, ZNF692

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZNF692 Polyclonal Antibody - Protein Information**Name** ZNF692**Function**

May act as an transcriptional repressor for PCK1 gene expression, in turn may participate in the hepatic gluconeogenesis regulation through the activated AMPK signaling pathway.

Cellular Location

Nucleus.

Tissue Location

Ubiquitous (PubMed:17097062). Highly expressed in brain, thymus and spleen (PubMed:17097062)


ZNF692 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF692 Polyclonal Antibody - Images



Paraformaldehyde-fixed, paraffin embedded (Human liver); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZNF692) Polyclonal Antibody, Unconjugated (bs-4360R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.