

ARHGEF3 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5820c

Specification

ARHGEF3 Antibody (Center) - Product Information

Application WB, IHC-P,E
Primary Accession Q9NR81

Other Accession <u>Q91X46</u>, <u>Q9N0A8</u>, <u>Q5ZLX4</u>, <u>NP 062455.1</u>

Reactivity Human

Predicted Chicken, Monkey, Mouse

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 59783
Antigen Region 211-240

ARHGEF3 Antibody (Center) - Additional Information

Gene ID 50650

Other Names

Rho guanine nucleotide exchange factor 3, Exchange factor found in platelets and leukemic and neuronal tissues, XPLN, ARHGEF3

Target/Specificity

This ARHGEF3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 211-240 amino acids from the Central region of human ARHGEF3.

Dilution

WB~~1:1000 IHC-P~~1:50~100

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ARHGEF3 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ARHGEF3 Antibody (Center) - Protein Information



Name ARHGEF3

Function Acts as a guanine nucleotide exchange factor (GEF) for RhoA and RhoB GTPases.

Cellular Location Cytoplasm.

Tissue Location


Widely expressed. Highest levels are found in adult brain and skeletal muscle. Lower levels are found in heart and kidney

ARHGEF3 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ARHGEF3 Antibody (Center) - Images



ARHGEF3 Antibody (Center) (Cat. #AP5820c) western blot analysis in MDA-MB435 cell line lysates (35ug/lane). This demonstrates the ARHGEF3 antibody detected the ARHGEF3 protein (arrow).





ARHGEF3 Antibody (Center) (Cat. #AP5820c) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ARHGEF3 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

ARHGEF3 Antibody (Center) - Background

Rho-like GTPases are involved in a variety of cellular processes, and they are activated by binding GTP and inactivated by conversion of GTP to GDP by their intrinsic GTPase activity. Guanine nucleotide exchange factors (GEFs) accelerate the GTPase activity of Rho GTPases by catalyzing their release of bound GDP. This gene encodes a guanine nucleotide exchange factor, which specifically activates two members of the Rho GTPase family: RHOA and RHOB, both of which have a role in bone cell biology. It has been identified that genetic variation in this gene plays a role in the determination of bone mineral density (BMD), indicating the implication of this gene in postmenopausal osteoporosis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

ARHGEF3 Antibody (Center) - References

Arthur, W.T., et al. J. Biol. Chem. 277(45):42964-42972(2002)
Harrington, A.W., et al. J. Neurosci. 22(1):156-166(2002)
Simpson, J.C., et al. EMBO Rep. 1(3):287-292(2000)
Thiesen, S., et al. Biochem. Biophys. Res. Commun. 273(1):364-369(2000)
ARHGEF3 Antibody (Center) - Citations

• The putative tumor activator ARHGEF3 promotes nasopharyngeal carcinoma cell pathogenesis by inhibiting cellular apoptosis.