

### **BCL2L12 Polyclonal Antibody**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58314

### **Specification**

### **BCL2L12 Polyclonal Antibody - Product Information**

Application WB, IHC-P, IHC-F, IF, E Primary Accession Q9HB09

Reactivity Rat, Dog, Bovine

Host Rabbit
Clonality Polyclonal
Calculated MW 26908

## **BCL2L12 Polyclonal Antibody - Additional Information**

### Gene ID 83596

#### **Other Names**

Bcl-2-like protein 12, Bcl2-L-12, Bcl-2-related proline-rich protein, BCL2L12, BPR

#### **Dilution**

```
<span class ="dilution_WB">WB~~1:1000</span><br \><span class
="dilution_IHC-P">IHC-P~~N/A</span><br \><span class
="dilution_IHC-F">IHC-F~~N/A</span><br \><span class
="dilution_IF">IF~~1:50~200</span><br \><span class ="dilution_E">E~~N/A</span>
```

### **Storage**

Store at -20  $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4  $^{\circ}$ C.

# **BCL2L12 Polyclonal Antibody - Protein Information**

Name BCL2L12 (<u>HGNC:13787</u>)

### **Synonyms BPR**


## **Tissue Location**

Expressed mainly in breast, thymus, prostate, fetal liver, colon, placenta, pancreas, small intestine, spinal cord, kidney, and bone marrow and to a lesser extent in many other tissues. Isoform 2 is primarily expressed in skeletal muscle

#### **BCL2L12 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

Western Blot





• Blocking Peptides

- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

**BCL2L12 Polyclonal Antibody - Images**