

ADAMTSL3 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58335

Specification

ADAMTSL3 Polyclonal Antibody - Product Information

Application

Primary Accession

Reactivity

Host

Clonality

Calculated MW

WB, IHC-P, IHC-F, IF, E
P82987

Rat, Pig, Dog
Rabbit
Polyclonal
188692

ADAMTSL3 Polyclonal Antibody - Additional Information

Gene ID 57188

Other Names

ADAMTS-like protein 3, ADAMTSL-3, Punctin-2, ADAMTSL3, KIAA1233

Dilution

WB~~1:1000<br \><span class
="dilution_IHC-P">IHC-P~~N/A<br \><span class
="dilution_IHC-F">IHC-F~~N/A<br \><span class
="dilution_IF">IF~~1:50~200<br \>E~~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

ADAMTSL3 Polyclonal Antibody - Protein Information

Name ADAMTSL3

Synonyms KIAA1233

Cellular Location

Secreted, extracellular space, extracellular matrix

Tissue Location

Expressed in epithelial cells of the colon, fallopian tube, skin, breast, prostate, epididymis, liver, pancreatic islets and bile ducts, as well as by vascular endothelial cells, smooth muscle cells, fibroblasts, cortical and ganglionic neurons and cardiac myocytes. Also expressed by malignant epithelial cells in colon cancer, as well as breast, prostate, renal and skin tumors. Expression is significantly reduced in colon cancer compared to normal colon



Tel: 858.875.1900 Fax: 858.875.1999



ADAMTSL3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ADAMTSL3 Polyclonal Antibody - Images