

POT1 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP58471

Specification

POT1 Polyclonal Antibody - Product Information

Application Primary Accession Reactivity

Host Clonality Calculated MW Physical State Immunogen

mmanogen

Epitope Specificity

Isotype **Purity**

affinity purified by Protein A

Buffer

SIMILARITY SUBUNIT

Important Note

IHC-P, IHC-F, IF, E

Q91WC1

Rat, Pig, Bovine

Rabbit Polyclonal 71 KDa Liquid

KLH conjugated synthetic peptide derived

from mouse POT1

551-640/640

laG

Proclin300 and 50% Glycerol.
Belongs to the telombin family.
Homodimer or homooligomer. Component of the shelterin complex (telosome) composed of TERF1, TERF2, TINF2, TERF2IP, ACD and POT1. Binds single-stranded telomeric DNA as a monomer. Component of the telomerase

0.01M TBS (pH7.4) with 1% BSA, 0.02%

monomer. Component of the telomerase holoenzyme complex at least composed of TERT, DKC1, WRAP53/TCAB1, NOP10, NHP2, GAR1, TEP1, EST1A, POT1 and a telomerase RNA template component (TERC). Found in a complex with TERF1, TINF2 and TNKS1. Interacts with TNKS1. Forms heterodimers with ACD. Identified in a complex with ACD and single-stranded telomeric DNA.

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

This gene is a member of the telombin family and encodes a nuclear protein involved in telomere maintenance. Specifically, this protein functions as a member of a multi-protein complex that binds to the TTAGGG repeats of telomeres, regulating telomere length and protecting chromosome ends from illegitimate recombination, catastrophic chromosome instability, and abnormal chromosome segregation. Increased transcriptional expression of this gene is associated with stomach carcinogenesis and its progression. Alternatively spliced transcript variants have been described. [provided by RefSeq, Jul 2008].



POT1 Polyclonal Antibody - Additional Information

Gene ID 101185

Other Names

Protection of telomeres protein 1, mPot1, POT1-like telomere end-binding protein, Pot1, Pot1a

Target/Specificity

Ubiquitous.

Dilution

IHC-P~~N/A<br \> <span class
="dilution_IHC-F">IHC-F~~N/A<br \> <span class
="dilution_IF">IF~~1:50~200<br \> E~~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

POT1 Polyclonal Antibody - Protein Information

Name Pot1

Synonyms Pot1a

Function

Component of the telomerase ribonucleoprotein (RNP) complex that is essential for the replication of chromosome termini. Is a component of the double-stranded telomeric DNA-binding TRF1 complex which is involved in the regulation of telomere length by cis- inhibition of telomerase. Also acts as a single-stranded telomeric DNA- binding protein and thus may act as a downstream effector of the TRF1 complex and may transduce information about telomere maintenance and/or length to the telomere terminus. Component of the shelterin complex (telosome) that is involved in the regulation of telomere length and protection. Shelterin associates with arrays of double-stranded TTAGGG repeats added by telomerase and protects chromosome ends; without its protective activity, telomeres are no longer hidden from the DNA damage surveillance and chromosome ends are inappropriately processed by DNA repair pathways. Binds to two or more telomeric single-stranded 5'-TAGGG-3' repeats (G-strand) and with high specificity to a minimal telomeric single-stranded 5'-TAGGGTTAG-3' sequence. Binds telomeric single-stranded sequences internally or at proximity of a 3'-end. Its activity is TERT dependent but it does not increase TERT activity (By similarity).

Cellular Location

Nucleus. Chromosome, telomere. Note=Colocalizes with telomeric DNA.

POT1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides





• Dot Blot

- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

POT1 Polyclonal Antibody - Images