

ZNF169 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP58611

Specification

ZNF169 Polyclonal Antibody - Product Information

Application WB, IHC-P, IHC-F, IF, ICC, E

Primary Accession

Host

Clonality

Calculated MW

Physical State

Q14929

Rabbit

Polyclonal
68 KDa

Liquid

Immunogen KLH conjugated synthetic peptide derived

from human ZNF169

Epitope Specificity 101-200/603

Isotype IgG

Purity

affinity purified by Protein A

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02%

Proclin300 and 50% Glycerol.

SUBCELLULAR LOCATION Nucleus.

SIMILARITY

Belongs to the krueppel C2H2-type

zinc-finger protein family. Contains 13 C2H2-type zinc fingers. Contains 1 KRAB

domain.

Important Note This product as supplied is intended for

research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

ZNF169 belongs to the krueppel C2H2 type zinc finger protein family. It may be involved in transcriptional regulation. It is highly expressed in kidney, weakly expressed in heart, liver, spleen, and small intestine. Not expressed in adult brain or spinal cord. ZNF169 contains thirteen C2H2 type zinc fingers and one KRAB domain.

ZNF169 Polyclonal Antibody - Additional Information

Gene ID 169841

Other Names

Zinc finger protein 169, ZNF169

Target/Specificity

Highly expressed in kidney, weakly expressed in heart, liver, spleen, and small intestine. Not expressed in adult brain or spinal cord.

Dilution

WB~~1:1000<br \><span class</pre>

="dilution_IHC-P">IHC-P \sim N/A
 <span class



="dilution_IHC-F">IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Storage

Store at -20 $^{\circ}$ C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 $^{\circ}$ C.

ZNF169 Polyclonal Antibody - Protein Information

Name ZNF169

Function

May be involved in transcriptional regulation.

Cellular Location

Nucleus.

Tissue Location

Highly expressed in kidney, weakly expressed in heart, liver, spleen, and small intestine. Not expressed in adult brain or spinal cord

ZNF169 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF169 Polyclonal Antibody - Images