

**NME6 Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP58692****Specification**

---

**NME6 Polyclonal Antibody - Product Information**

Application	IHC-P, IHC-F, IF, E
Primary Accession	<a href="#">O75414</a>
Reactivity	Rat, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	21142

**NME6 Polyclonal Antibody - Additional Information****Gene ID** 10201**Other Names**

Nucleoside diphosphate kinase 6, NDK 6, NDP kinase 6, 2.7.4.6, Inhibitor of p53-induced apoptosis-alpha, IPIA-alpha, nm23-H6, NME6

**Dilution**

IHC-P~N/A  
IHC-F~N/A  
IF~1:50~200  
E~N/A

**Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**NME6 Polyclonal Antibody - Protein Information****Name** NME6**Function**

Major role in the synthesis of nucleoside triphosphates other than ATP. The ATP gamma phosphate is transferred to the NDP beta phosphate via a ping-pong mechanism, using a phosphorylated active-site intermediate. Inhibitor of p53-induced apoptosis.

**Tissue Location**

Expressed at a moderately low level in many tissues. Most abundant in kidney, prostate, ovary, intestine, and spleen

**NME6 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **NME6 Polyclonal Antibody - Images**