

BTBD6 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP58900**Specification**

BTBD6 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q96KE9
Reactivity	Rat, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	58776

BTBD6 Polyclonal Antibody - Additional Information**Gene ID** 90135**Other Names**

BTB/POZ domain-containing protein 6, Lens BTB domain protein, BTBD6, BDPL

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

BTBD6 Polyclonal Antibody - Protein Information**Name** BTBD6 ([HGNC:19897](#))**Synonyms** BDPL**Function**

Adapter protein for the cul3 E3 ubiquitin-protein ligase complex (By similarity). Involved in late neuronal development and muscle formation (By similarity).

Cellular Location

Cytoplasm {ECO:0000250|UniProtKB:Q2LE78}. Note=Found in punctated bodies in the cytoplasm {ECO:0000250|UniProtKB:Q2LE78}

Tissue Location


Expressed in lens..

BTBD6 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BTBD6 Polyclonal Antibody - Images



Sample:


Heart (Mouse) Lysate at 40 ug

Primary: Anti- BTBD6 (bs-8159R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution


Predicted band size: 53 kD

Observed band size: 53 kD




Sample:

Cerebrum (Mouse) Lysate at 40 ug
Primary: Anti- BTBD6 (bs-8159R) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 53 kD
Observed band size: 53 kD



Sample:

Eye (Mouse) Lysate at 40 ug
Spinal cord (Mouse) Lysate at 40 ug
Primary: Anti- BTBD6 (bs-8159R) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 53 kD
Observed band size: 53 kD



Sample:

Cerebellum (Mouse) Lysate at 40 ug
Primary: Anti- BTBD6 (bs-8159R) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 53 kD

Observed band size: 53 kD