

UBE2J2 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP58984**Specification**

UBE2J2 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q8N2K1
Reactivity	Rat, Pig, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28898

UBE2J2 Polyclonal Antibody - Additional Information**Gene ID** 118424**Other Names**

Ubiquitin-conjugating enzyme E2 J2, 2.3.2.23, E2 ubiquitin-conjugating enzyme J2, Non-canonical ubiquitin-conjugating enzyme 2, NCUBE-2, UBE2J2, NCUBE2

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

UBE2J2 Polyclonal Antibody - Protein Information**Name** UBE2J2**Synonyms** NCUBE2**Function**

Catalyzes the covalent attachment of ubiquitin to other proteins. Seems to function in the selective degradation of misfolded membrane proteins from the endoplasmic reticulum (ERAD) (By similarity). In cooperation with the GATOR2 complex, catalyzes 'Lys-6'- linked ubiquitination of NPRL2 (PubMed:36528027).

Cellular Location


Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:Q9Y385}; Single-pass type IV membrane protein {ECO:0000250|UniProtKB:Q9Y385}

UBE2J2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

UBE2J2 Polyclonal Antibody - Images



Sample:


293T(Human) Cell Lysate at 40 ug

Primary: Anti-UBE2J2 (bs-8381R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 29 kD

Observed band size: 29 kD



Sample:

293T(Human) Cell Lysate at 30 ug

Primary: Anti-UBE2J2 (bs-8381R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 29 kD

Observed band size: 29 kD