

# **UNC93B Polyclonal Antibody**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP59022

## **Specification**

# **UNC93B Polyclonal Antibody - Product Information**

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW
Physical State

Epitope Specificity

Isotype **Purity** 

Immunogen

affinity purified by Protein A

Buffer

SUBCELLULAR LOCATION SIMILARITY SUBUNIT

Post-translational modifications

DISEASE

Important Note

IHC-P, IHC-F, IF, E

O9H1C4 Rat Rabbit Polyclonal 66 KDa Liquid

KLH conjugated synthetic peptide derived

from human UNC93B

451-550/597

IaG

0.01M TBS (pH7.4) with 1% BSA, 0.02%

Proclin300 and 50% Glycerol.

Membrane; Multi pass membrane protein.

Belongs to the unc-93 family.

Interacts with TLR3, TLR7, and TLR9 (probably via transmembrane domain).

N-glycosylated (By similarity).

Defects in UNC93B1 are associated with herpes simplex encephalitis type 1 (HSE1) [MIM:610551]. HSE is a rare complication of human herpesvirus 1 (HHV-1) infection, occurring in only a small minority of HHV-1 infected individuals. HSE is characterized by hemorrhagic necrosis of parts of the temporal and frontal lobes. Onset is over several days and involves fever, headache, seizures, stupor, and often coma, frequently with a fatal outcome.

Note=Mutations in UNC93B1 resulting in autosomal recessive UNC93B1 deficieny predispose otherwise healthy individuals to isolated herpes simplex encephalitis due to impaired IFNs production. UNC93B1 deficieny, however, does not compromise immunity to most pathogens, unlike most known primary immunodeficiencies. This product as supplied is intended for

research use only, not for use in human, therapeutic or diagnostic applications.

**Background Descriptions** 

UNC93B is a protein with similarity to the C. elegans unc93 protein. The Unc93 protein is involved



in the regulation or coordination of muscle contraction in the worm. Defects in UNC93B are associated with susceptibility to herpes simplex encephalitis (HSE) which is a rare complication of human herpesvirus 1 (HHV-1) infection.

# **UNC93B Polyclonal Antibody - Additional Information**

**Gene ID 81622** 

#### **Other Names**

Protein unc-93 homolog B1, Unc-93B1, hUNC93B1, UNC93B1, UNC93, UNC93B

## Target/Specificity

Expressed in plasmocytoid dendritic cells (at protein level). Highly expressed in antigen-presenting cells. Expressed in heart, and at lower level in kidney. Expressed at low level in other tissues.

## **Dilution**

```
<span class ="dilution_IHC-P">IHC-P~~N/A</span><br \> <span class
="dilution_IHC-F">IHC-F~~N/A</span><br \> <span class
="dilution_IF">IF~~1:50~200</span> <br \> <span class ="dilution_E">E~~N/A</span>
```

#### **Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

### **Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

### **UNC93B Polyclonal Antibody - Protein Information**

Name UNC93B1 (<u>HGNC:13481</u>)

Synonyms UNC93, UNC93B

#### **Function**

Plays an important role in innate and adaptive immunity by regulating nucleotide-sensing Toll-like receptor (TLR) signaling. Required for the transport of a subset of TLRs (including TLR3, TLR7 and TLR9) from the endoplasmic reticulum to endolysosomes where they can engage pathogen nucleotides and activate signaling cascades. May play a role in autoreactive B-cells removal.


#### **Cellular Location**

Endoplasmic reticulum membrane; Multi-pass membrane protein. Endosome Lysosome. Cytoplasmic vesicle, phagosome Note=Relocalizes from endoplasmic reticulum to endosome and lysosome upon cell-stimulation with CpG dinucleotides (By similarity) Colocalizes with LAMP5 in large endosomal intracellular vesicles {ECO:0000250, ECO:0000269|PubMed:18082565, ECO:0000269|PubMed:21642595}

# **Tissue Location**

Expressed in plasmocytoid dendritic cells (at protein level). Highly expressed in antigen-presenting cells. Expressed in heart, and at lower level in kidney. Expressed at low level in other tissues.

### **UNC93B Polyclonal Antibody - Protocols**





Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

**UNC93B Polyclonal Antibody - Images**