

CEP128 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP59213**Specification****CEP128 Polyclonal Antibody - Product Information**

Application	WB, IHC-P, IHC-F, IF, E
Primary Accession	Q6ZU80
Reactivity	Rat, Pig, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	128 KDa
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human CEP128
Epitope Specificity	801-900/1094
Isotype	IgG
Purity	
affinity purified by Protein A	
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Cytoplasm, cytoskeleton, centrosome, centriole. Cytoplasm, cytoskeleton, spindle pole. Note=Associates with the mother centriole.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

Phosphorylated upon DNA damage, probably by ATM or ATR.

CEP128 Polyclonal Antibody - Additional Information

Gene ID 145508

Other Names

Centrosomal protein of 128 kDa, Cep128, CEP128, C14orf145, C14orf61

Dilution

WB~1:1000
IHC-P~N/A
IHC-F~N/A
IF~1:50~200
E~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

CEP128 Polyclonal Antibody - Protein Information

Name CEP128

Synonyms C14orf145, C14orf61

Cellular Location


Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole. Cytoplasm, cytoskeleton, spindle pole.
Note=Associates with the mother centriole

CEP128 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CEP128 Polyclonal Antibody - Images



Sample:

HL60 (Human) Cell Lysate at 30 ug

293T(Human) Cell Lysate at 30 ug

HeLa (Human) Cell Lysate at 30 ug

Primary: Anti- CEP128 (bs-9306R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 128 kD

Observed band size: 128 kD

