

Anti-ARID4B Antibody

Rabbit polyclonal antibody to ARID4B Catalog # AP59845

Specification

Anti-ARID4B Antibody - Product Information

Application WB, IP
Primary Accession Q4LE39
Reactivity Human, Rat
Host Rabbit
Clonality Polyclonal
Calculated MW 147809

Anti-ARID4B Antibody - Additional Information

Gene ID 51742

Other Names

BRCAA1; RBBP1L1; RBP1L1; SAP180; AT-rich interactive domain-containing protein 4B; ARID domain-containing protein 4B; 180 kDa Sin3-associated polypeptide; Sin3-associated polypeptide p180; Breast cancer-associated antigen BRCAA1; Histone deacetylase complex subunit SAP180; Retinoblastoma-binding protein 1-like 1

Target/Specificity

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human ARID4B. The exact sequence is proprietary.

Dilution

WB~~WB (1/500 - 1/1000), IP (1/10 - 1/100) IP~~N/A

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C.Stable for 12 months from date of receipt

Anti-ARID4B Antibody - Protein Information

Name ARID4B

Synonyms BRCAA1, RBBP1L1, RBP1L1, SAP180

Function

Acts as a transcriptional repressor (PubMed:12724404). May function in the assembly and/or enzymatic activity of the Sin3A corepressor complex or in mediating interactions between the complex and other regulatory



complexes (PubMed:<a href="http://www.uniprot.org/citations/12724404"

target="_blank">12724404). Plays a role in the regulation of epigenetic modifications at the PWS/AS imprinting center near the SNRPN promoter, where it might function as part of a complex with RB1 and ARID4A. Involved in spermatogenesis, together with ARID4A, where it functions as a transcriptional coactivator for AR (androgen receptor) and enhances expression of genes required for sperm maturation. Regulates expression of the tight junction protein CLDN3 in the testis, which is important for integrity of the blood-testis barrier. Plays a role in myeloid homeostasis where it regulates the histone methylation state of bone marrow cells and expression of various genes involved in hematopoiesis. May function as a leukemia suppressor (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00355}. Cytoplasm Note=Cytoplasmic in breast cancer cells.

Tissue Location


Highly expressed in the testis and in breast, lung, colon, pancreatic and ovarian cancers. Expressed at low levels in the thymus, prostate and ovary.

Anti-ARID4B Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-ARID4B Antibody - Images



Western blot analysis of ARID4B expression in HEK293T (A), MCF7 (B) whole cell lysates.

Anti-ARID4B Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human ARID4B. The exact sequence is proprietary.