

Anti-PNPLA8 Antibody
Rabbit polyclonal antibody to PNPLA8
Catalog # AP60102

Specification

Anti-PNPLA8 Antibody - Product Information

Application	WB
Primary Accession	O9NP80
Reactivity	Human, Rat, Rabbit, Monkey
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88477

Anti-PNPLA8 Antibody - Additional Information

Gene ID 50640

Other Names

IPLA22; IPLA2G; Calcium-independent phospholipase A2-gamma; Intracellular membrane-associated calcium-independent phospholipase A2 gamma; iPLA2-gamma; PNPLA-gamma; Patatin-like phospholipase domain-containing protein 8; iPLA2-2

Target/Specificity

Recognizes endogenous levels of PNPLA8 protein.

Dilution

WB~~WB (1/500 - 1/1000)

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-PNPLA8 Antibody - Protein Information

Name PNPLA8 ([HGNC:28900](#))

Synonyms IPLA22, IPLA2G

Function

Calcium-independent and membrane-bound phospholipase, that catalyzes the esterolytic cleavage of fatty acids from glycerophospholipids to yield free fatty acids and lysophospholipids, hence regulating membrane physical properties and the release of lipid second messengers and growth factors (PubMed: <http://www.uniprot.org/citations/10833412> target="_blank">10833412, PubMed: <http://www.uniprot.org/citations/10744668> target="_blank">10744668, PubMed: <http://www.uniprot.org/citations/15695510> target="_blank">15695510)

target="_blank">15695510, PubMed:15908428, PubMed:17213206, PubMed:18171998, PubMed:28442572). Hydrolyzes phosphatidylethanolamine, phosphatidylcholine and probably phosphatidylinositol with a possible preference for the former (PubMed:15695510). Has also a broad substrate specificity in terms of fatty acid moieties, hydrolyzing saturated and mono-unsaturated fatty acids at nearly equal rates from either the sn-1 or sn-2 position in diacyl phosphatidylcholine (PubMed:10833412, PubMed:10744668, PubMed:15695510, PubMed:15908428). However, has a weak activity toward polyunsaturated fatty acids at the sn-2 position, and thereby favors the production of 2-arachidonoyl lysophosphatidylcholine, a key branch point metabolite in eicosanoid signaling (PubMed:15908428). On the other hand, can produce arachidonic acid from the sn-1 position of diacyl phospholipid and from the sn-2 position of arachidonate-containing plasmalogen substrates (PubMed:15908428). Therefore, plays an important role in the mobilization of arachidonic acid in response to cellular stimuli and the generation of lipid second messengers (PubMed:15695510, PubMed:15908428). Can also hydrolyze lysophosphatidylcholine (PubMed:15695510). In the mitochondrial compartment, catalyzes the hydrolysis and release of oxidized aliphatic chains from cardiolipin and integrates mitochondrial bioenergetics and signaling. It is essential for maintaining efficient bioenergetic mitochondrial function through tailoring mitochondrial membrane lipid metabolism and composition (PubMed:28442572).

Cellular Location

Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:Q5XTS1}; Single-pass membrane protein Mitochondrion membrane; Single-pass membrane protein. Peroxisome membrane; Single-pass membrane protein

Tissue Location


Expressed in parenchymal tissues including heart, skeletal muscle, placenta, brain, liver and pancreas. Also expressed in bronchial epithelial cells and kidney. Highest expression is observed in skeletal muscle and heart.

Anti-PNPLA8 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-PNPLA8 Antibody - Images



Western blot analysis of PNPLA8 expression in A549 (A), U2OS (B), H1688 (C) whole cell lysates.

Anti-PNPLA8 Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human PNPLA8. The exact sequence is proprietary.