10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-RPS6 (pS240) Antibody

Rabbit polyclonal antibody to RPS6 (pS240)
Catalog # AP60390

Specification

Anti-RPS6 (pS240) Antibody - Product Information

Application	**WB, IF/IC, IHC**
Primary Accession	P62753
Other Accession	P62754
Reactivity	**Human, Mouse, Rat, Rabbit, Monkey, Chicken, Bovine, Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**28681**

Anti-RPS6 (pS240) Antibody - Additional Information

Gene ID 6194

Other Names
40S ribosomal protein S6; Phosphoprotein NP33

Target/Specificity
KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RPS6 (pS240). The exact sequence is proprietary.

Dilution
WB~~WB (1/500 - 1/1000), IH (1/100 - 1/200), IF/IC (1/100 - 1/500)
IF/IC~~N/A
IHC~~1:100~500

Format
Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage
Store at -20 °C.Stable for 12 months from date of receipt

Anti-RPS6 (pS240) Antibody - Protein Information

Name RPS6 {ECO:0000303|PubMed:29563586, ECO:0000312|HGNC:HGNC:10429}

Function
Component of the 40S small ribosomal subunit (PubMed:23636399, PubMed:8706699). Plays an important role in controlling cell growth and proliferation through the selective translation of particular classes of mRNA (PubMed:<a href="http://www.uniprot.org/citations/17220279"

target="_blank">17220279). Part of the small subunit (SSU) processome, first precursor of the small eukaryotic ribosomal subunit. During the assembly of the SSU processome in the nucleolus, many ribosome biogenesis factors, an RNA chaperone and ribosomal proteins associate with the nascent pre-rRNA and work in concert to generate RNA folding, modifications, rearrangements and cleavage as well as targeted degradation of pre-ribosomal RNA by the RNA exosome (PubMed:34516797).

Cellular Location
Cytoplasm. Nucleus, nucleolus

Anti-RPS6 (pS240) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-RPS6 (pS240) Antibody - Images



Western blot analysis of RPS6 (pS240) expression in Hela (A), HGC27 (B) whole cell lysates.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Immunohistochemical analysis of RPS6 (pS240) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunofluorescent analysis of RPS6 (pS240) staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a hidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).

Anti-RPS6 (pS240) Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RPS6 (pS240). The exact sequence is proprietary.