

# Anti-YAP1 (pS127) Antibody

Rabbit polyclonal antibody to YAP1 (pS127) Catalog # AP60506

## **Specification**

# Anti-YAP1 (pS127) Antibody - Product Information

Application WB
Primary Accession P46937
Other Accession P46938

Reactivity Human, Mouse, Rat, Zebrafish, Chicken

Host Rabbit
Clonality Polyclonal
Calculated MW 54462

# Anti-YAP1 (pS127) Antibody - Additional Information

### **Gene ID** 10413

#### **Other Names**

YAP65; Yorkie homolog; 65 kDa Yes-associated protein; YAP65

### Target/Specificity

Recognizes endogenous levels of YAP1 (pS127) protein.

### **Dilution**

WB~~WB (1/500 - 1/1000)

### **Format**

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

# **Storage**

Store at -20 °C. Stable for 12 months from date of receipt

# Anti-YAP1 (pS127) Antibody - Protein Information

### Name YAP1

## Synonyms YAP65

#### **Function**

Transcriptional regulator which can act both as a coactivator and a corepressor and is the critical downstream regulatory target in the Hippo signaling pathway that plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis (PubMed:<a href="http://www.uniprot.org/citations/17974916" target="\_blank">17974916</a>, PubMed:<a href="http://www.uniprot.org/citations/18280240" target="\_blank">18280240</a>, PubMed:<a href="http://www.uniprot.org/citations/18579750" target="\_blank">18579750</a>, PubMed:<a href="http://www.uniprot.org/citations/21364637" target="\_blank">21364637</a>, PubMed:<a



href="http://www.uniprot.org/citations/30447097" target="\_blank">30447097</a>). The core of this pathway is composed of a kinase cascade wherein STK3/MST2 and STK4/MST1, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ (PubMed:<a href="http://www.uniprot.org/citations/18158288"</code>

target="\_blank">18158288</a>). Plays a key role in tissue tension and 3D tissue shape by regulating cortical actomyosin network formation. Acts via ARHGAP18, a Rho GTPase activating protein that suppresses F-actin polymerization (PubMed:<a

href="http://www.uniprot.org/citations/25778702" target="\_blank">25778702</a>). Plays a key role in controlling cell proliferation in response to cell contact. Phosphorylation of YAP1 by LATS1/2 inhibits its translocation into the nucleus to regulate cellular genes important for cell proliferation, cell death, and cell migration (PubMed:<a href="http://www.uniprot.org/citations/18158288" target="\_blank">18158288</a>). The presence of TEAD transcription factors are required for it to stimulate gene expression, cell growth, anchorage- independent growth, and epithelial mesenchymal transition (EMT) induction (PubMed:<a

href="http://www.uniprot.org/citations/18579750" target="\_blank">18579750</a>). Suppresses ciliogenesis via acting as a transcriptional corepressor of the TEAD4 target genes AURKA and PLK1 (PubMed:<a href="http://www.uniprot.org/citations/25849865" target="\_blank">25849865</a>). In conjunction with WWTR1, involved in the regulation of TGFB1-dependent SMAD2 and SMAD3 nuclear accumulation (By similarity).

### **Cellular Location**

Cytoplasm. Nucleus. Cell junction {ECO:0000250|UniProtKB:P46938}. Note=Both phosphorylation and cell density can regulate its subcellular localization (PubMed:18158288, PubMed:20048001). Phosphorylation sequesters it in the cytoplasm by inhibiting its translocation into the nucleus (PubMed:18158288, PubMed:20048001). At low density, predominantly nuclear and is translocated to the cytoplasm at high density (PubMed:18158288, PubMed:20048001, PubMed:25849865). PTPN14 induces translocation from the nucleus to the cytoplasm (PubMed:22525271). Localized mainly to the nucleus in the early stages of embryo development with expression becoming evident in the cytoplasm at the blastocyst and epiblast stages (By similarity). {ECO:0000250|UniProtKB:P46938, ECO:0000269|PubMed:25525271,

ECO:0000269|PubMed:25849865}

#### **Tissue Location**

Increased expression seen in some liver and prostate cancers. Isoforms lacking the transactivation domain found in striatal neurons of patients with Huntington disease (at protein level).


### Anti-YAP1 (pS127) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# Anti-YAP1 (pS127) Antibody - Images





Western blot analysis of YAP1 (pS127) expression in H1688 (A) whole cell lysates.

# Anti-YAP1 (pS127) Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human YAP1 (pS127). The exact sequence is proprietary.