

**Anti-SRSF8 Antibody**  
**Rabbit polyclonal antibody to SRSF8**  
**Catalog # AP60782**

**Specification**

**Anti-SRSF8 Antibody - Product Information**

Application	WB, IHC
Primary Accession	<a href="#">Q9BRL6</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32288

**Anti-SRSF8 Antibody - Additional Information**

**Gene ID** 10929

**Other Names**

SFRS2B; SRP46; Serine/arginine-rich splicing factor 8; Pre-mRNA-splicing factor SRP46; Splicing factor SRp46; Splicing factor, arginine/serine-rich 2B

**Target/Specificity**

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human SRSF8. The exact sequence is proprietary.

**Dilution**

WB~~WB (1/500 - 1/1000), IH (1/100 - 1/200)  
IHC~~1:100~500

**Format**

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

**Storage**

Store at -20 °C. Stable for 12 months from date of receipt

**Anti-SRSF8 Antibody - Protein Information**

**Name** SRSF8

**Synonyms** SFRS2B, SRP46

**Function**

Involved in pre-mRNA alternative splicing.

**Cellular Location**

Nucleus.


**Tissue Location**

Strongly expressed in pancreas, spleen and prostate. Weakly expressed in lung, liver and thymus


**Anti-SRSF8 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**Anti-SRSF8 Antibody - Images**

Western blot analysis of SRSF8 expression in Panc1 (A), PC3 (B) whole cell lysates.



Immunohistochemical analysis of SRSF8 staining in human prostate cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

**Anti-SRSF8 Antibody - Background**

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human SRSF8. The exact sequence is proprietary.