

## Anti-ZNF307 Antibody

Rabbit polyclonal antibody to ZNF307 Catalog # AP60862

#### Specification

## Anti-ZNF307 Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC <u>Q969J2</u> Human, Mouse, Rat Rabbit Polyclonal 61579

## Anti-ZNF307 Antibody - Additional Information

Gene ID 387032

**Other Names** ZNF307; ZNF427; Zinc finger protein with KRAB and SCAN domains 4; P373c6.1; Zinc finger protein 307; Zinc finger protein 427

Target/Specificity Recognizes endogenous levels of ZNF307 protein.

Dilution WB~~WB (1/500 - 1/2000), IH (1/50 - 1/200) IHC~~1:100~500

**Format** Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage Store at -20 °C.Stable for 12 months from date of receipt

## Anti-ZNF307 Antibody - Protein Information

Name ZKSCAN4

Synonyms ZNF307, ZNF427

Function May be involved in the transcriptional activation of MDM2 and EP300 genes.

Cellular Location Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187, ECO:0000269|PubMed:17910948}

**Tissue Location** 



Expressed in adult heart, brain, placenta, lung and kidney, but not in adult liver and skeletal muscle. In 17-day old embryo, detected in liver, skeletal muscle, brain, heart and small intestine.

## Anti-ZNF307 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

#### Anti-ZNF307 Antibody - Images



Western blot analysis of ZNF307 expression in MEF (A), PC12 (B), A549 (C) whole cell lysates.



Immunohistochemical analysis of ZNF307 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

# Anti-ZNF307 Antibody - Background



KLH-conjugated synthetic peptide encompassing a sequence within the center region of human ZNF307. The exact sequence is proprietary.