

Anti-RAB1B Antibody
Rabbit polyclonal antibody to RAB1B
Catalog # AP60988**Specification**

Anti-RAB1B Antibody - Product Information

Application	WB
Primary Accession	O9H0U4
Other Accession	O9D1G1
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	22171

Anti-RAB1B Antibody - Additional Information**Gene ID** 81876**Other Names**

Ras-related protein Rab-1B

Target/Specificity

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human RAB1B. The exact sequence is proprietary.

Dilution

WB~~WB (1/500 - 1/1000)

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-RAB1B Antibody - Protein Information**Name** RAB1B ([HGNC:18370](#))**Function**

The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes (PubMed:20545908, PubMed:9437002, PubMed:23236136). Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion (PubMed:<a href="http://www.uniprot.org/citations/9437002"

target="_blank">9437002). Plays a role in the initial events of the autophagic vacuole development which take place at specialized regions of the endoplasmic reticulum (PubMed:20545908). Regulates vesicular transport between the endoplasmic reticulum and successive Golgi compartments (By similarity). Required to modulate the compacted morphology of the Golgi (PubMed:26209634). Promotes the recruitment of lipid phosphatase MTMR6 to the endoplasmic reticulum- Golgi intermediate compartment (By similarity).

Cellular Location


Cytoplasm. Membrane; Lipid-anchor; Cytoplasmic side. Preautophagosomal structure membrane; Lipid-anchor; Cytoplasmic side. Cytoplasm, perinuclear region {ECO:0000250|UniProtKB:P10536}. Note=Targeted by REP1 to membranes of specific subcellular compartments including endoplasmic reticulum, Golgi apparatus, and intermediate vesicles between these two compartments (PubMed:11389151). In the GDP-form, colocalizes with GDI in the cytoplasm (PubMed:11389151). Co-localizes with MTMR6 to the endoplasmic reticulum-Golgi intermediate compartment and to the peri- Golgi region (By similarity). {ECO:0000250|UniProtKB:P10536, ECO:0000269|PubMed:11389151}

Anti-RAB1B Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-RAB1B Antibody - Images



Western blot analysis of RAB1B expression in BV2 (A), C6 (B), A549 (C), HeLa (D) whole cell lysates.

Anti-RAB1B Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human RAB1B. The exact sequence is proprietary.