

# Anti-CD55 Antibody

Rabbit polyclonal antibody to CD55 Catalog # AP61330

## Specification

# Anti-CD55 Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB <u>P08174</u> Human, Rat Rabbit Polyclonal 41400

# **Anti-CD55 Antibody - Additional Information**

Gene ID 1604

Other Names CR; DAF; Complement decay-accelerating factor; CD55

**Target/Specificity** KLH-conjugated synthetic peptide encompassing a sequence within the center region of human CD55. The exact sequence is proprietary.

Dilution WB~~WB (1/500 - 1/1000)

**Format** Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage Store at -20 °C.Stable for 12 months from date of receipt

### **Anti-CD55 Antibody - Protein Information**

Name CD55

Synonyms CR, DAF

#### Function

This protein recognizes C4b and C3b fragments that condense with cell-surface hydroxyl or amino groups when nascent C4b and C3b are locally generated during C4 and c3 activation. Interaction of daf with cell-associated C4b and C3b polypeptides interferes with their ability to catalyze the conversion of C2 and factor B to enzymatically active C2a and Bb and thereby prevents the formation of C4b2a and C3bBb, the amplification convertases of the complement cascade (PubMed:<a href="http://www.uniprot.org/citations/7525274" target="\_blank">7525274</a>). Inhibits complement activation by destabilizing and preventing the formation of C3 and C5



convertases, which prevents complement damage (PubMed:<a href="http://www.uniprot.org/citations/28657829" target="\_blank">28657829</a>).

#### **Cellular Location**

[Isoform 1]: Cell membrane; Single-pass type I membrane protein [Isoform 3]: Secreted [Isoform 5]: Secreted [Isoform 7]: Cell membrane; Lipid-anchor, GPI-anchor

### **Tissue Location**


Expressed on the plasma membranes of all cell types that are in intimate contact with plasma complement proteins. It is also found on the surfaces of epithelial cells lining extracellular compartments, and variants of the molecule are present in body fluids and in extracellular matrix

# Anti-CD55 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

#### Anti-CD55 Antibody - Images



Western blot analysis of CD55 expression in A549 (A), rat lung (B) whole cell lysates.

# Anti-CD55 Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human CD55. The exact sequence is proprietary.