

Anti-Histidine Decarboxylase Antibody
Rabbit polyclonal antibody to Histidine Decarboxylase
Catalog # AP61367**Specification**

Anti-Histidine Decarboxylase Antibody - Product Information

Application	WB
Primary Accession	P19113
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	74141

Anti-Histidine Decarboxylase Antibody - Additional Information**Gene ID** 3067**Other Names**

Histidine decarboxylase; HDC

Target/Specificity

KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human Histidine Decarboxylase. The exact sequence is proprietary.

Dilution

WB~~WB (1/500 - 1/1000)

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-Histidine Decarboxylase Antibody - Protein Information**Name** HDC**Function**

Catalyzes the biosynthesis of histamine from histidine.


Anti-Histidine Decarboxylase Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-Histidine Decarboxylase Antibody - Images



Western blot analysis of Histidine Decarboxylase expression in SGC7901 (A), A549 (B) whole cell lysates.

Anti-Histidine Decarboxylase Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human Histidine Decarboxylase. The exact sequence is proprietary.