

**Anti-Caspase 7 p20 Antibody**  
**Rabbit polyclonal antibody to Caspase 7 p20**  
**Catalog # AP61403**

**Specification**

**Anti-Caspase 7 p20 Antibody - Product Information**

Application	WB, IHC
Primary Accession	<a href="#">P55210</a>
Other Accession	<a href="#">P97864</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34277

**Anti-Caspase 7 p20 Antibody - Additional Information**

**Gene ID** 840

**Other Names**

MCH3; Caspase-7; CASP-7; Apoptotic protease Mch-3; CMH-1; ICE-like apoptotic protease 3; ICE-LAP3

**Target/Specificity**

Recognizes endogenous levels of Caspase 7 p20 protein.

**Dilution**

WB~~WB (1/500 - 1/1000), IH (1/50 - 1/200)

IHC~~1:100~500

**Format**

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

**Storage**

Store at -20 °C. Stable for 12 months from date of receipt

**Anti-Caspase 7 p20 Antibody - Protein Information**

**Name** CASP7 {ECO:0000303|PubMed:9070923, ECO:0000312|HGNC:HGNC:1508}

**Function**

Thiol protease involved in different programmed cell death processes, such as apoptosis, pyroptosis or granzyme-mediated programmed cell death, by proteolytically cleaving target proteins (PubMed:<a href="http://www.uniprot.org/citations/11257230" target="\_blank">11257230</a>, PubMed:<a href="http://www.uniprot.org/citations/11257231" target="\_blank">11257231</a>, PubMed:<a href="http://www.uniprot.org/citations/11701129" target="\_blank">11701129</a>, PubMed:<a href="http://www.uniprot.org/citations/15314233" target="\_blank">15314233</a>, PubMed:<a href="http://www.uniprot.org/citations/16916640"

target="\_blank">>16916640</a>, PubMed:<a href="http://www.uniprot.org/citations/17646170" target="\_blank">>17646170</a>, PubMed:<a href="http://www.uniprot.org/citations/18723680" target="\_blank">>18723680</a>, PubMed:<a href="http://www.uniprot.org/citations/19581639" target="\_blank">>19581639</a>, PubMed:<a href="http://www.uniprot.org/citations/8521391" target="\_blank">>8521391</a>, PubMed:<a href="http://www.uniprot.org/citations/8567622" target="\_blank">>8567622</a>, PubMed:<a href="http://www.uniprot.org/citations/8576161" target="\_blank">>8576161</a>, PubMed:<a href="http://www.uniprot.org/citations/9070923" target="\_blank">>9070923</a>). Has a marked preference for Asp-Glu-Val-Asp (DEVD) consensus sequences, with some plasticity for alternate non-canonical sequences (PubMed:<a href="http://www.uniprot.org/citations/12824163" target="\_blank">>12824163</a>, PubMed:<a href="http://www.uniprot.org/citations/15314233" target="\_blank">>15314233</a>, PubMed:<a href="http://www.uniprot.org/citations/17697120" target="\_blank">>17697120</a>, PubMed:<a href="http://www.uniprot.org/citations/19581639" target="\_blank">>19581639</a>, PubMed:<a href="http://www.uniprot.org/citations/20566630" target="\_blank">>20566630</a>, PubMed:<a href="http://www.uniprot.org/citations/23650375" target="\_blank">>23650375</a>, PubMed:<a href="http://www.uniprot.org/citations/23897474" target="\_blank">>23897474</a>, PubMed:<a href="http://www.uniprot.org/citations/27032039" target="\_blank">>27032039</a>). Its involvement in the different programmed cell death processes is probably determined by upstream proteases that activate CASP7 (By similarity). Acts as an effector caspase involved in the execution phase of apoptosis: following cleavage and activation by initiator caspases (CASP8, CASP9 and/or CASP10), mediates execution of apoptosis by catalyzing cleavage of proteins, such as CLSPN, PARP1, PTGES3 and YY1 (PubMed:<a href="http://www.uniprot.org/citations/10497198" target="\_blank">>10497198</a>, PubMed:<a href="http://www.uniprot.org/citations/16123041" target="\_blank">>16123041</a>, PubMed:<a href="http://www.uniprot.org/citations/16374543" target="\_blank">>16374543</a>, PubMed:<a href="http://www.uniprot.org/citations/16916640" target="\_blank">>16916640</a>, PubMed:<a href="http://www.uniprot.org/citations/18723680" target="\_blank">>18723680</a>, PubMed:<a href="http://www.uniprot.org/citations/20566630" target="\_blank">>20566630</a>, PubMed:<a href="http://www.uniprot.org/citations/21555521" target="\_blank">>21555521</a>, PubMed:<a href="http://www.uniprot.org/citations/22184066" target="\_blank">>22184066</a>, PubMed:<a href="http://www.uniprot.org/citations/22451931" target="\_blank">>22451931</a>, PubMed:<a href="http://www.uniprot.org/citations/27889207" target="\_blank">>27889207</a>, PubMed:<a href="http://www.uniprot.org/citations/28863261" target="\_blank">>28863261</a>, PubMed:<a href="http://www.uniprot.org/citations/31586028" target="\_blank">>31586028</a>, PubMed:<a href="http://www.uniprot.org/citations/34156061" target="\_blank">>34156061</a>, PubMed:<a href="http://www.uniprot.org/citations/35338844" target="\_blank">>35338844</a>, PubMed:<a href="http://www.uniprot.org/citations/35446120" target="\_blank">>35446120</a>). Compared to CASP3, acts as a minor executioner caspase and cleaves a limited set of target proteins (PubMed:<a href="http://www.uniprot.org/citations/18723680" target="\_blank">>18723680</a>). Acts as a key regulator of the inflammatory response in response to bacterial infection by catalyzing cleavage and activation of the sphingomyelin phosphodiesterase SMPD1 in the extracellular milieu, thereby promoting membrane repair (PubMed:<a href="http://www.uniprot.org/citations/21157428" target="\_blank">>21157428</a>). Regulates pyroptosis in intestinal epithelial cells: cleaved and activated by CASP1 in response to S.typhimurium infection, promoting its secretion to the extracellular milieu, where it catalyzes activation of SMPD1, generating ceramides that repair membranes and counteract the action of gasdermin-D (GSDMD) pores (By similarity). Regulates granzyme-mediated programmed cell death in hepatocytes: cleaved and activated by granzyme B (GZMB) in response to bacterial infection, promoting its secretion to the extracellular milieu, where it catalyzes activation of SMPD1, generating ceramides that repair membranes and counteract the action of perforin (PRF1) pores (By similarity). Following cleavage by CASP1 in response to inflamasome activation, catalyzes processing and inactivation of PARP1, alleviating the transcription repressor activity of PARP1 (PubMed:<a href="http://www.uniprot.org/citations/22464733" target="\_blank">>22464733</a>). Acts as an inhibitor of type I interferon production during virus-induced apoptosis by mediating cleavage of antiviral proteins CGAS, IRF3 and MAVS, thereby preventing cytokine overproduction (By similarity). Cleaves and activates sterol regulatory element binding proteins (SREBPs) (PubMed:<a href="http://www.uniprot.org/citations/8643593" target="\_blank">>8643593</a>). Cleaves

phospholipid scramblase proteins XKR4, XKR8 and XKR9 (By similarity). In case of infection, catalyzes cleavage of Kaposi sarcoma-associated herpesvirus protein ORF57, thereby preventing expression of viral lytic genes (PubMed:<a href="http://www.uniprot.org/citations/20159985" target="\_blank">20159985</a>). Cleaves BIRC6 following inhibition of BIRC6-caspase binding by DIABLO/SMAC (PubMed:<a href="http://www.uniprot.org/citations/36758104" target="\_blank">36758104</a>, PubMed:<a href="http://www.uniprot.org/citations/36758106" target="\_blank">36758106</a>).

#### Cellular Location

Cytoplasm, cytosol. Nucleus. Secreted, extracellular space {ECO:0000250|UniProtKB:P97864}. Note=Following cleavage and activation by CASP1 or granzyme B (GZMB), secreted into the extracellular milieu by passing through the gasdermin-D (GSDMD) pores or perforin (PRF1) pore, respectively {ECO:0000250|UniProtKB:P97864}

#### Tissue Location


Highly expressed in lung, skeletal muscle, liver, kidney, spleen and heart, and moderately in testis. No expression in the brain.

#### Anti-Caspase 7 p20 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### Anti-Caspase 7 p20 Antibody - Images



Western blot analysis of Caspase 7 p20 expression in rat lung (A), rat liver (B) whole cell lysates.



Immunohistochemical analysis of Caspase 7 p20 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

#### **Anti-Caspase 7 p20 Antibody - Background**

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Caspase 7 p20. The exact sequence is proprietary.