

Cleaved-Cathepsin D HC (L169) Polyclonal Antibody Catalog # AP63112

Specification

Cleaved-Cathepsin D HC (L169) Polyclonal Antibody - Product Information

Application
Primary Accession
Reactivity
Host
Clonality

WB <u>P07339</u> Human Rabbit Polyclonal

Cleaved-Cathepsin D HC (L169) Polyclonal Antibody - Additional Information

Gene ID 1509

Other Names CTSD; CPSD; Cathepsin D

Dilution WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.

Format Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions -20°C

Cleaved-Cathepsin D HC (L169) Polyclonal Antibody - Protein Information

Name CTSD

Synonyms CPSD

Function

Acid protease active in intracellular protein breakdown. Plays a role in APP processing following cleavage and activation by ADAM30 which leads to APP degradation (PubMed:27333034). Involved in the pathogenesis of several diseases such as breast cancer and possibly Alzheimer disease.

Cellular Location

Lysosome. Melanosome. Secreted, extracellular space. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV. In aortic samples, detected as an extracellular protein loosely bound to the matrix (PubMed:20551380)

Tissue Location

Expressed in the aorta extracellular space (at protein level) (PubMed:20551380). Expressed in liver (at protein level) (PubMed:1426530).




Cleaved-Cathepsin D HC (L169) Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Cleaved-Cathepsin D HC (L169) Polyclonal Antibody - Images



Cleaved-Cathepsin D HC (L169) Polyclonal Antibody - Background

Acid protease active in intracellular protein breakdown. Plays a role in APP processing following cleavage and activation by ADAM30 which leads to APP degradation (PubMed:27333034). Involved in the pathogenesis of several diseases such as breast cancer and possibly Alzheimer disease.