

CD5 Monoclonal Antibody(10G8)

Catalog # AP63325

Specification

CD5 Monoclonal Antibody(10G8) - Product Information

Application IHC-P, IF Primary Accession P06127

Reactivity Human, Mouse, Rat

Host Mouse Clonality Monoclonal

CD5 Monoclonal Antibody(10G8) - Additional Information

Gene ID 921

Other Names

CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD5

Dilution

IHC-P~~N/A IF~~1:50~200

Format

PBS, pH 7.4, containing 0.09% (W/V) sodium azide as Preservative and 50% Glycerol.

Storage Conditions

-20°C

CD5 Monoclonal Antibody(10G8) - Protein Information

Name CD5

Synonyms LEU1

Function

Lymphoid-specific receptor expressed by all T-cells and in a subset of B-cells known as B1a cells. Plays a role in the regulation of TCR and BCR signaling, thymocyte selection, T-cell effector differentiation and immune tolerance. Acts by interacting with several ligands expressed on B-cells such as CD5L or CD72 and thereby plays an important role in contact-mediated, T-dependent B-cell activation and in the maintenance of regulatory T and B-cell homeostasis. Functions as a negative regulator of TCR signaling during thymocyte development by associating with several signaling proteins including LCK, CD3Z chain, PI3K or CBL (PubMed:1384049, PubMed:1385158). Mechanistically, co- engagement of CD3 with CD5 enhances phosphorylated CBL recruitment leading to increased VAV1 phosphorylation and degradation (PubMed:23376399/a>). Modulates

B-cell biology through ERK1/2 activation in a Ca(2+)-dependent pathway via the non-selective



Ca(2+) channel TRPC1, leading to IL-10 production (PubMed:27499044).

Cellular Location


Cell membrane {ECO:0000250|UniProtKB:P13379}; Single-pass type I membrane protein {ECO:0000250|UniProtKB:P13379}


CD5 Monoclonal Antibody(10G8) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CD5 Monoclonal Antibody(10G8) - Images














May act as a receptor in regulating T-cell proliferation.