

## Peroxiredoxin 1 Monoclonal Antibody(8E7)

**Catalog # AP63366** 

## **Specification**

## Peroxiredoxin 1 Monoclonal Antibody(8E7) - Product Information

Application
Primary Accession
Reactivity

Host Clonality WB, IHC-P, IF
O06830

Human, Mouse, Rat

Mouse Monoclonal

# Peroxiredoxin 1 Monoclonal Antibody(8E7) - Additional Information

#### **Gene ID 5052**

### **Other Names**

PRDX1; PAGA; PAGB; TDPX2; Peroxiredoxin-1; Natural killer cell-enhancing factor A; NKEF-A; Proliferation-associated gene protein; PAG; Thioredoxin peroxidase 2; Thioredoxin-dependent peroxide reductase 2

#### Dilution

WB~~WB: 1:1000-3000 IF: 1:100-200 IHC 1:50-300

IHC-P~~N/A

IF~~WB: 1:1000-3000 IF: 1:100-200 IHC 1:50-300

#### **Format**

PBS, pH 7.4, containing 0.09% (W/V) sodium azide as Preservative and 50% Glycerol.

### **Storage Conditions**

-20°C

#### Peroxiredoxin 1 Monoclonal Antibody(8E7) - Protein Information

### Name PRDX1

Synonyms PAGA, PAGB, TDPX2

#### **Function**

Thiol-specific peroxidase that catalyzes the reduction of hydrogen peroxide and organic hydroperoxides to water and alcohols, respectively. Plays a role in cell protection against oxidative stress by detoxifying peroxides and as sensor of hydrogen peroxide-mediated signaling events. Might participate in the signaling cascades of growth factors and tumor necrosis factor-alpha by regulating the intracellular concentrations of H(2)O(2) (PubMed:<a href="http://www.uniprot.org/citations/9497357" target="blank">9497357</a>). Reduces an

href="http://www.uniprot.org/citations/9497357" target="\_blank">9497357</a>). Reduces an intramolecular disulfide bond in GDPD5 that gates the ability to GDPD5 to drive postmitotic motor neuron differentiation (By similarity).

## **Cellular Location**




Cytoplasm. Melanosome Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV

# Peroxiredoxin 1 Monoclonal Antibody(8E7) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# Peroxiredoxin 1 Monoclonal Antibody(8E7) - Images







Peroxiredoxin 1 Monoclonal Antibody(8E7) - Background

Thiol-specific peroxidase that catalyzes the reduction of hydrogen peroxide and organic hydroperoxides to water and alcohols, respectively. Plays a role in cell protection against oxidative stress by detoxifying peroxides and as sensor of hydrogen peroxide-mediated signaling events. Might participate in the signaling cascades of growth factors and tumor necrosis factor-alpha by regulating the intracellular concentrations of H(2)O(2) (PubMed:9497357). Reduces an intramolecular disulfide bond in GDPD5 that gates the ability to GDPD5 to drive postmitotic motor neuron differentiation (By similarity).