

FGF18 Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP6643a**Specification**

FGF18 Antibody (N-term) - Product Information

| | |
|-------------------|--|
| Application | WB,E |
| Primary Accession | O76093 |
| Other Accession | O88182 , O89101 , Q0VCA0 |
| Reactivity | Human |
| Predicted | Bovine, Mouse, Rat |
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | Rabbit IgG |
| Antigen Region | 23-50 |

FGF18 Antibody (N-term) - Additional Information**Gene ID** 8817**Other Names**

Fibroblast growth factor 18, FGF-18, zFGF5, FGF18

Target/Specificity

This FGF18 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 23-50 amino acids from the N-terminal region of human FGF18.

Dilution

WB~~1:2000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FGF18 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

FGF18 Antibody (N-term) - Protein Information**Name** FGF18**Function** Plays an important role in the regulation of cell proliferation, cell differentiation and cell

migration. Required for normal ossification and bone development. Stimulates hepatic and intestinal proliferation.

Cellular Location


Secreted.

FGF18 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FGF18 Antibody (N-term) - Images



Anti-FGF18 Antibody (N-term) at 1:2000 dilution + NCI-H460 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 24 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

FGF18 Antibody (N-term) - Background

FGF18 is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth, and invasion. It has been shown in vitro that this protein is able to induce neurite outgrowth in PC12 cells. Studies of the similar proteins in mouse and chick suggested that this protein is a pleiotropic growth factor that stimulates proliferation in a number of tissues, most notably the liver and small intestine. Knockout studies of the similar gene in mice implied the role of this protein in regulating proliferation and differentiation of midline cerebellar structures.

FGF18 Antibody (N-term) - References

Wan,W.D., Beijing Da Xue Xue Bao 41 (4), 409-413 (2009)
Sonvilla,G., Carcinogenesis 29 (1), 15-24 (2008)