

HPRT1 Antibody (C-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP6732B**Specification**

HPRT1 Antibody (C-term) - Product Information

Application	FC, IHC-P, WB,E
Primary Accession	P00492
Other Accession	Q6LDD9
Reactivity	Human
Predicted	Monkey
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	150-178

HPRT1 Antibody (C-term) - Additional Information**Gene ID** 3251**Other Names**

Hypoxanthine-guanine phosphoribosyltransferase, HGPRT, HGPRTase, HPRT1, HPRT

Target/Specificity

This HPRT1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 150-178 amino acids from the C-terminal region of human HPRT1.

Dilution

FC~~1:10~50

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

HPRT1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

HPRT1 Antibody (C-term) - Protein Information**Name** HPRT1

Synonyms HPRT

Function Converts guanine to guanosine monophosphate, and hypoxanthine to inosine monophosphate. Transfers the 5-phosphoribosyl group from 5-phosphoribosylpyrophosphate onto the purine. Plays a central role in the generation of purine nucleotides through the purine salvage pathway.

Cellular Location


Cytoplasm.

HPRT1 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


HPRT1 Antibody (C-term) - Images




Western blot analysis of HPRT1 antibody (C-term) (Cat. #AP6732b) in HeLa cell line lysates (35ug/lane). HPRT1 (arrow) was detected using the purified Pab.



Western blot analysis of HPRT1 (arrow) using rabbit polyclonal HPRT1 Antibody (C-term) (Cat. #AP6732b). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the HPRT1 gene.



HPRT1 Antibody (C-term) (Cat. #AP6732b) IHC analysis in formalin fixed and paraffin embedded mouse brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the HPRT1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



HPRT1 Antibody (C-term) (Cat. #AP6732b) flow cytometric analysis of Hela cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

HPRT1 Antibody (C-term) - Background

The protein is a transferase, which catalyzes conversion of hypoxanthine to inosine monophosphate and guanine to guanosine monophosphate via transfer of the 5-phosphoribosyl group from 5-phosphoribosyl 1-pyrophosphate. This enzyme plays a central role in the generation of purine nucleotides through the purine salvage pathway.

HPRT1 Antibody (C-term) - References

Ceballos-Picot, I., Hum. Mol. Genet. 18 (13), 2317-2327 (2009)
Sculley, D.G., Hum. Genet. 90 (3), 195-207 (1992)