

IGFBP6 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP6764b

Specification

IGFBP6 Antibody (C-term) - Product Information

| Application | FC, IHC-P, WB,E |
|-------------------|-----------------|
| Primary Accession | <u>P24592</u> |
| Other Accession | <u>Q05718</u> |
| Reactivity | Human |
| Predicted | Bovine |
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | Rabbit IgG |
| Calculated MW | 25322 |
| Antigen Region | 176-200 |

IGFBP6 Antibody (C-term) - Additional Information

Gene ID 3489

Other Names Insulin-like growth factor-binding protein 6, IBP-6, IGF-binding protein 6, IGFBP-6, IGFBP6, IBP6

Target/Specificity

This IGFBP6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 176-200 amino acids from the C-terminal region of human IGFBP6.

Dilution FC~~1:10~50 IHC-P~~1:50~100 WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

IGFBP6 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

IGFBP6 Antibody (C-term) - Protein Information



Name IGFBP6 (HGNC:5475)

Synonyms IBP6

Function IGF-binding proteins prolong the half-life of the IGFs and have been shown to either inhibit or stimulate the growth promoting effects of the IGFs on cell culture. They alter the interaction of IGFs with their cell surface receptors. Activates the MAPK signaling pathway and induces cell migration (PubMed:24003225).


Cellular Location Secreted.

IGFBP6 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

IGFBP6 Antibody (C-term) - Images




Western blot analysis of IGFBP6 Antibody (C-term) (Cat. #AP6764b) in CEM cell line lysates (35ug/lane). IGFBP6 (arrow) was detected using the purified Pab.





Formalin-fixed and paraffin-embedded human colon carcinoma reacted with IGFBP6 Antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of widr cells using IGFBP6 Antibody (C-term)(bottom histogram) compared to a negative control cell (top histogram)FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

IGFBP6 Antibody (C-term) - Background

IGFBP6 (IGF binding protein 6) is a member of the IGFBP family that regulates the actions of IGFs. It acts extracellularly in an autocrine/paracrine manner. IGFBP6 binds preferentially to IGF-II. IGFBP6 has been shown to inhibit the growth of tumour cells and to promote apotosis.

IGFBP6 Antibody (C-term) - References

Guey, L.T., et.al., Eur. Urol. (2009)