

14-3-3 η Polyclonal Antibody
Catalog # AP68192**Specification**

14-3-3 η Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	Q04917
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

14-3-3 η Polyclonal Antibody - Additional Information**Gene ID** 7533**Other Names**

YWHAH; YWHA1; 14-3-3 protein eta; Protein AS1

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.

IHC-P~~N/A

IF~~1:50~200

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

14-3-3 η Polyclonal Antibody - Protein Information**Name** YWHAH**Synonyms** YWHA1**Function**

Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways. Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif. Binding generally results in the modulation of the activity of the binding partner. Negatively regulates the kinase activity of PDPK1.

Tissue Location



Expressed mainly in the brain and present in other tissues albeit at lower levels

14-3-3 η Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

14-3-3 η Polyclonal Antibody - Images



14-3-3 η Polyclonal Antibody - Background

Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways. Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif. Binding generally results in the modulation of the activity of the binding partner. Negatively regulates the kinase activity of PDPK1.