

AIFL Polyclonal Antibody
Catalog # AP68331**Specification**

AIFL Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	Q96NN9
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

AIFL Polyclonal Antibody - Additional Information**Gene ID** 150209**Other Names**

AIFM3; AIFL; Apoptosis-inducing factor 3; Apoptosis-inducing factor-like protein

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.

IHC-P~~N/A

IF~~1:50~200

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

AIFL Polyclonal Antibody - Protein Information**Name** AIFM3**Synonyms** AIFL**Function**

Induces apoptosis through a caspase dependent pathway. Reduces mitochondrial membrane potential.

Cellular Location

Mitochondrion. Note=Does not translocate to the nucleus upon induction of apoptosis

Tissue Location



Ubiquitous. Expressed in bone marrow, cerebral cortex, liver, ovary, thymus, thyroid gland and tongue (at protein level).

AIFL Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

AIFL Polyclonal Antibody - Images



AIFL Polyclonal Antibody - Background

Induces apoptosis through a caspase dependent pathway. Reduces mitochondrial membrane

potential.