

COLEC11 Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP6840a**Specification**

COLEC11 Antibody (N-term) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	Q9BWP8
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	50-78

COLEC11 Antibody (N-term) - Additional Information**Gene ID** 78989**Other Names**

Collectin-11, Collectin kidney protein 1, CL-K1, COLEC11

Target/Specificity

This COLEC11 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 50-78 amino acids from the N-terminal region of human COLEC11.

Dilution

WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

COLEC11 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

COLEC11 Antibody (N-term) - Protein Information**Name** COLEC11

Function Lectin that plays a role in innate immunity, apoptosis and embryogenesis (PubMed:[23954398](#), PubMed:[25912189](#), PubMed:[21258343](#)). Calcium-dependent lectin that binds

self and non-self glycoproteins presenting high mannose oligosaccharides with at least one terminal alpha-1,2-linked mannose epitope (PubMed:[25912189](#)). Primarily recognizes the terminal disaccharide of the glycan (PubMed:[25912189](#)). Also recognizes a subset of fucosylated glycans and lipopolysaccharides (PubMed:[17179669](#), PubMed:[25912189](#)). Plays a role in innate immunity through its ability to bind non-self sugars presented by microorganisms and to activate the complement through the recruitment of MAPS1 (PubMed:[20956340](#), PubMed:[25912189](#)). Also plays a role in apoptosis through its ability to bind in a calcium-independent manner the DNA present at the surface of apoptotic cells and to activate the complement in response to this binding (Probable). Finally, plays a role in development, probably serving as a guidance cue during the migration of neural crest cells and other cell types during embryogenesis (PubMed:[21258343](#), PubMed:[28301481](#)).

Cellular Location

Secreted.

Tissue Location


Ubiquitous (PubMed:[17179669](#)). Detected in adrenal gland, kidney, liver, ovaries and testis (at protein level) (PubMed:[20956340](#)).

COLEC11 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


COLEC11 Antibody (N-term) - Images




Western blot analysis of COLEC11 Antibody (N-term) (Cat. #AP6840a) in MDA-MB231 cell line lysates (35ug/lane). COLEC11 (arrow) was detected using the purified Pab.



Western blot analysis of COLEC11 (arrow) using rabbit polyclonal COLEC11 Antibody (N-term) (Cat. #AP6840a). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the COLEC11 gene.



Formalin-fixed and paraffin-embedded human hepatocarcinoma with COLEC11 Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of MDA-231 cells using COLEC11 Antibody (N-term)(bottom histogram) compared to a negative control (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

COLEC11 Antibody (N-term) - Background

COLEC11 is a member of the collectin family of C-type lectins, which contain a collagen-like domain

and a carbohydrate recognition domain, and play a role in host-defense

COLEC11 Antibody (N-term) - References

Oguri,M., et.al., Am. J. Hypertens. (2009)